

Created on: 20-05-2024 08:34:30 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Drip tray and grate galvanised model HLB 1



Size Drip tray and grate galvanised model HLB 1

Article number	950950000
NOTE >>> advantageous shipping costs	Shipping costs are the same for orders up to 12 pieces !
Suitable for	1x 200 liter barrel
External LxDxH	800 x 800 x 551 mm
Underride height	100 mm
Collection capacity	220 litres
Load capacity	1000 kg/m ²
weight	50 kg
Size between the legs	± 420 and 380 mm

Specifications Drip tray and grate galvanised model HLB 1

[HILTRA® drip trays HLB series:](#)

Liquid-tight drip trays made of galvanised steel, including galvanised grids for the storage/transport of environmentally harmful substances in small/medium-sized containers, barrels and IBCs. The models for IBCs are also available with a platform for draining purposes. These drip trays are very favourably priced and normally available from stock. The products shown can be used within the PGS 15 regulations.

Characteristics:

- Executed in accordance with PGS 15:2011 version 1.1.
- Suitable for the storage of 200 litre drums and/or IBCs.
- Material: 2 mm steel plate galvanized, welded seams finished with zinc spray.
- Equipped with hot-dip galvanised press gratings. (The HLB 1 and HLB 2 are fitted with galvanised perforated gratings.
- Grid floor capacity 1000 kg/m² with an evenly distributed load.

Created on: 20-05-2024 08:34:30 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Drip tray and grid galvanized model HLB 2



Size Drip tray and grid galvanized model HLB 2

Article number	135950000
NOTE >>> advantageous shipping costs	Shipping costs are the same for orders up to 14 pieces !
Suitable for	2x 200 liter drum
External LxDxH	1300 x 800 x 378 mm
Underride height	100 mm
Collection capacity	220 litres
Load capacity	1000 kg/m ²
weight	63 kg
Size between the legs	± 970 and 355 mm

Specifications Drip tray and grid galvanized model HLB 2

[HILTRA® drip trays HLB series:](#)

Liquid-tight drip trays made of galvanised steel, including galvanised grids for the storage/transport of environmentally harmful substances in small/medium-sized containers, barrels and IBCs. The models for IBCs are also available with a platform for draining purposes. These drip trays are very favourably priced and normally available from stock. The products shown can be used within the PGS 15 regulations.

Characteristics:

- Executed in accordance with PGS 15:2011 version 1.1.
- Suitable for the storage of 200 litre drums and/or IBCs.
- Material: 2 mm steel plate galvanized, welded seams finished with zinc spray.
- Equipped with hot-dip galvanised press gratings. (The HLB 1 and HLB 2 are fitted with galvanised perforated gratings.
- Grid floor capacity 1000 kg/m² with an evenly distributed load.

Created on: 20-05-2024 08:34:30 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Drip tray and grate galvanised model HLB 4



Size Drip tray and grate galvanised model HLB 4

Article number	135135000
ATTENTION! >> Affordable shipping costs >	Shipping costs are the same for orders up to 15 pieces !
Suitable for	4x 200 liter barrel
External LxDxH	1314 x 1300 x 281 mm
Underride height	100 mm
Collection capacity	220 litres
Load capacity	1000 kg/m ²
weight	94 KG
Size between the legs	± 1025 and 875 mm

Specifications Drip tray and grate galvanised model HLB 4

[HILTRA® drip trays HLB series:](#)

Liquid-tight drip trays made of galvanised steel, including galvanised grids for the storage/transport of environmentally harmful substances in small/medium-sized containers, barrels and IBCs. The models for IBCs are also available with a platform for draining purposes. These drip trays are very favourably priced and normally available from stock. The products shown can be used within the PGS 15 regulations.

Characteristics:

- Executed in accordance with PGS 15:2011 version 1.1.
- Suitable for the storage of 200 litre drums and/or IBCs.
- Material: 2 mm steel plate galvanized, welded seams finished with zinc spray.
- Equipped with hot-dip galvanised press gratings. (The HLB 1 and HLB 2 are fitted with galvanised perforated gratings.
- Grid floor capacity 1000 kg/m² with an evenly distributed load.

Created on: 20-05-2024 08:34:30 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Drip tray and grid galvanized model HLB 11



Size Drip tray and grid galvanized model HLB 11

Article number	135165002
NOTE >>> advantageous shipping costs	Shipping costs are the same for orders up to 8 pieces !
Suitable for	1x 1000 liter IBC / Multibox
External LxWxH	1350 x 1300 x 876 mm
Underride height	100 mm
Collection capacity	1100 litres
Load capacity	1000 kg/m ²
Weight	142 kg
Size between the legs	± 885 and 870 mm

Specifications Drip tray and grid galvanized model HLB 11

[HILTRA® drip trays HLB series:](#)

Liquid-tight drip trays made of galvanised steel, including galvanised grids for the storage/transport of environmentally harmful substances in small/medium-sized containers, barrels and IBCs. The models for IBCs are also available with a platform for draining purposes. These drip trays are very favourably priced and normally available from stock. The products shown can be used within the PGS 15 regulations.

Characteristics:

- Executed in accordance with PGS 15:2011 version 1.1.
- Suitable for the storage of 200 litre drums and/or IBCs.
- Material: 2 mm steel plate galvanized, welded seams finished with zinc spray.
- Equipped with hot-dip galvanised press gratings. (The HLB 1 and HLB 2 are fitted with galvanised perforated gratings.
- Grid floor capacity 1000 kg/m² with an evenly distributed load.

Created on: 20-05-2024 08:34:30 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Drip tray and grate, galvanised HLB 12 model



Size Drip tray and grate, galvanised HLB 12 model

Article number	135165003
NOTE >> Advantageous shipping costs >>	Shipping costs are the same for orders up to 8 pieces !
Suitable for	2x 1000 liter IBC / Multibox
External LxDxH	2650 x 1300 x 483 mm
Underride height	100 mm
Collection capacity	1100 liters
Carrying capacity	1000 kg/m ²
weight	207 KG
Size between legs	± 2x 1085 and 1x 835 mm

Specifications Drip tray and grate, galvanised HLB 12 model

[HILTRA® drip trays HLB series:](#)

Liquid-tight drip trays made of galvanised steel, including galvanised grids for the storage/transport of environmentally harmful substances in small/medium-sized containers, barrels and IBCs. The models for IBCs are also available with a platform for draining purposes. These drip trays are very favourably priced and normally available from stock. The products shown can be used within the PGS 15 regulations.

Characteristics:

- Executed in accordance with PGS 15:2011 version 1.1.
- Suitable for the storage of 200 litre drums and/or IBCs.
- Material: 2 mm steel plate galvanized, welded seams finished with zinc spray.
- Equipped with hot-dip galvanised press gratings. (The HLB 1 and HLB 2 are fitted with galvanised perforated gratings.
- Grid floor capacity 1000 kg/m² with an evenly distributed load.

Created on: 20-05-2024 08:34:30 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Drip tray and grate galvanised model HLB 12-T



Size Drip tray and grate galvanised model HLB 12-T

Article number	135165001
ATTENTION >>> Advantageous shipping costs	Shipping costs are the same for orders up to 10 pieces !
Suitable for	2x 1000 litre IBC / Multibox
External LxDxH	2650 x 1650 x 424/834 mm
Underride height	100 mm
Collection capacity	1100 litres
Load capacity	1000 kg/m ²
weight	325 KG
Siding (2x) (D = 345 mm)	Unassembled, in package
Size between the legs	± 2x 1055 and 1x 1285 mm

Specifications Drip tray and grate galvanised model HLB 12-T

[HILTRA® drip trays HLB series:](#)

Liquid-tight drip trays made of galvanised steel, including galvanised grids for the storage/transport of environmentally harmful substances in small/medium-sized containers, barrels and IBCs. The models for IBCs are also available with a platform for draining purposes. These drip trays are very favourably priced and normally available from stock. The products shown can be used within the PGS 15 regulations.

Characteristics:

- Executed in accordance with PGS 15:2011 version 1.1.
- Suitable for the storage of 200 litre drums and/or IBCs.
- Material: 2 mm steel plate galvanized, welded seams finished with zinc spray.
- Equipped with hot-dip galvanised press gratings. (The HLB 1 and HLB 2 are fitted with galvanised perforated gratings.
- Grid floor capacity 1000 kg/m² with an evenly distributed load.

Optional

Option description	Option article number
Delivery is unloaded. Extra charge for unloading with cage-monkey (max. 10 pcs)	210220300