

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Freestanding eye bath MB30 ST

Size Freestanding eye bath MB30 ST

Article number	999999979
Material	Steel pipe, stainless steel bath
Pipework	Galvanized
Operation	Stainless steel push bar
Water flow	12 litres/min.
Water supply	15 mm compression fitting or ½" BSP male thread
Water outlet	Through the stand pipe

Specifications Freestanding eye bath MB30 ST

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.



Hiltru Barneveld b.v.
Compagnieweg 14-16
NL-3771 NH Barneveld
+ 31 (0)342-404160

www.hiltru.com
info@hiltru.com

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Freestanding eye bath MBS30 ST (stainless steel)



Size Freestanding eye bath MBS30 ST (stainless steel)

Article number	999999979
Material	Bath in stainless steel and pipe work in steel (RVS)
Pipework	RVS
Operation	Stainless steel push handle
Water flow	12 litres/min.
Water supply	15 mm compression fitting or ½" BSP external thread
Water outlet	Through the stand pipe

Specifications Freestanding eye bath MBS30 ST (stainless steel)

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Freestanding eye bath with flow-through MB30 ID (Indoor)

Size Freestanding eye bath with flow-through MB30 ID
(Indoor)

Article number	999999979
Material	Stainless steel eyebath, steel piping
Pipework	Galvanized
Operation	Stainless steel push handle
Water flow	12 litres/min (2 Bar)
Water supply	15 mm compression fitting or 1/2" BSP external thread
Water outlet	Through the stand pipe
Forwarding	Water temp. approx. 25 gr, IP 24

Specifications Freestanding eye bath with flow-through MB30 ID (Indoor)

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltra®: Freestanding eye bath with flow-through MB50 ID (Indoor)

Size Freestanding eye bath with flow-through MB50 ID
(Indoor)

Article number	999999979
Material	Plastic eyebath, steel piping
Pipework	Galvanized
Operation	Lid-control
Water flow	12 litres/min. (2 Bar)
Water supply	15 mm compression fitting or ½" BSP external thread
Water outlet	Through the stand pipe
Forwarding	water temp. approx. 25 gr, IP24

Specifications Freestanding eye bath with flow-through MB50 ID (Indoor)

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency shower MB150 (1")

Size Emergency shower MB150 (1")

Article number	999999979
Material	Steel pipes, Plastic shower head
Pipework	Galvanized
Operation	Stainless steel pull rod
Water flow	80 litres/minute (2 Bar)
Water supply	1" BSP internal thread

Specifications Emergency shower MB150 (1")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency shower MBS150 -RVS (1")

Size Emergency shower MBS150 -RVS (1")

Article number	999999979
Material	Pipes made of steel (stainless steel), Plastic shower head
Pipework	RVS
Operation	Stainless steel pull rod
Water flow	80 litres/min. (2 Bar)
Water supply	1" BSP internal thread

Specifications Emergency shower MBS150 -RVS (1")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency and eye shower MB150-30 (1")

Size Emergency and eye shower MB150-30 (1")

Article number	999999979
Material	Stainless steel bath, Steel pipes, Plastic shower head
Pipework	Galvanized
Operation	Stainless steel push bar and stainless steel pull bar
Water flow	Shower 80 ltr/min, bath 12 ltr/min.
Standpipe/ Water inlet	1" BSP internal thread

Specifications Emergency and eye shower MB150-30 (1")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.



Hiltru Barneveld b.v.
Compagnieweg 14-16
NL-3771 NH Barneveld
+ 31 (0)342-404160

www.hiltru.com
info@hiltru.com

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency and eye shower MB150-30 (1¼")



Size Emergency and eye shower MB150-30 (1¼")

Article number	999999979
Material	Stainless steel bath, Steel pipes, Plastic shower head
Pipework	Galvanized
Operation	Stainless steel push bar and stainless steel pull bar
Water flow	Shower 80 ltr/min, bath 12 ltr/min.
Water supply	1¼" BSP internal thread

Specifications Emergency and eye shower MB150-30 (1¼")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency and eye shower MBS150-30 -RVS (1")

Size Emergency and eye shower MBS150-30 -RVS (1")

Article number	999999979
Material	Stainless steel bath, Stainless steel pipes, Plastic shower head
Pipework	RVS
Operation	Stainless steel push bar and stainless steel pull bar
Water flow	Shower 80 ltr/min, bath 12 ltr/min.
Standpipe/ Water inlet	1" BSP internal thread

Specifications Emergency and eye shower MBS150-30 -RVS (1")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency and eye shower MBS150-30 stainless steel (1¼")

Size Emergency and eye shower MBS150-30 stainless steel (1¼")

Article number	999999979
Material	Stainless steel bath, Stainless steel pipes, Plastic shower head
Pipework	RVS
Operation	Stainless steel push bar and stainless steel pull bar
Water flow	Shower 80 ltr/min, bath 12 ltr/min.
Water supply	1¼" BSP internal thread

Specifications Emergency and eye shower MBS150-30 stainless steel (1¼")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.

Created on: 18-05-2024 19:28:58 |
Technical changes and imperfections
reserved.

PRODUCT DATA SHEET Hiltru®: Emergency and eye shower MBP150-50 -PVC (1¼")

Size Emergency and eye shower MBP150-50 -PVC (1¼")

Article number	999999979
Material	Bath, shower head and pipes made of plastic
Pipework	PVC
Operation	Shower stainless steel pull rod, Bath cover operation
Water flow	Shower 80 ltr/min, bath 12 ltr/min.
Water supply	1¼" BSP internal thread

Specifications Emergency and eye shower MBP150-50 -PVC (1¼")

Freestanding eye and emergency showers for indoor use. Products shown are applicable within the PGS 15 regulations.

Features:

- Design according to ANSI Z 358.1 and CE EN 15154.
- Suitable for indoor installation (freestanding).
- Standard with galvanized piping.
- Also available in stainless steel and PVC.
- Delivery in package, assembly by client.